



PRESTIGE LINE –
SAPHIR & CARNEOL,
detailed product description
see overleaf



na**Tür**lich –
MOHO bewegt!



AMSTERDAM

10*



ATHEN

30*



PARIS

20*



VADUZ

20*



WIEN

54*

LUXUS LINE
Entrance doors
made of wood –
our Best



LONDON 44*

- 3-fold slatted frame and door panel frame, 66 mm strong, for high stability and against warping
- type of wood: pine or meranti
- high class real wood veneered sandwich-filling with solid applications
- including heat insulating glazing, U-value 1,2, outside clear glass, inside ornament glass according to MoHo glass chart (see page 15)
- 3-fold safety bolt locking
- 2 sealings against draft and noise
- 3 heavy 3-D adjustable hinges
- aluminium threshold
- including final surface treatment according to MoHo colour chart (*see page 14)



FARO

10*



STOCKHOLM 10*



REYKJAVIK



MALAGA



BUDAPEST



GLASGOW



MINSK

LUXUS LINE
Entrance doors
made of PVC –
our Best



*na Türlich -
MOHO bewegt!*



SPLIT



NIZZA



SOFIA

- high class multiple chamber PVC profile 70 mm strong with reinforced steel inlet in frame and door panel frame and with corner connectors
- high class PVC sandwich filling with solid applications
- including heat insulating glazing, U-value 1,2, outside clear glass, inside ornament glass according to MoHo glass chart (see page 15)
- 3-fold safety bolt locking
- 2 sealings against draft and noise
- 3 heavy 3-D adjustable high-performance hinges
- thermal separated aluminium threshold
- including electric door opener
- also available with wooden pattern





THESSALONIKI 3013*



PATRAS 20*



INNSBRUCK 6005*



PALMA 20*



BARCELONA 3013*

EXKLUSIV LINE
Entrance doors
made of wood –
with a conception



OSLO 20*



TROMSO 20*



ANKARA 20*



ZAGREB 20*

- 3-fold slatted frame and door panel frame, 66 mm strong, for high stability and against warping
- type of wood: fir
- high class real wood veneered sandwich-filling with solid applications
- ISO ornament glazing Silvit white
- 3-fold safety bolt locking
- 2 sealings against draft and noise
- 3 heavy 3-D adjustable hinges
- L-shaped aluminium threshold
- including final surface treatment according to MoHo colour chart (*see page 14)





MANCHESTER



SEVILLA



SALZBURG



ANTALYA



DUBROVNIK

EXCLUSIV LINE
Entrance doors
made of PVC –
with a conception



*na Türlich -
MOHO bewegt!*

- high class multiple chamber PVC profile 60 mm strong with reinforced steel inlet in frame and door panel frame and with corner connectors
- high class PVC sandwich filling
- ISO-Ornament glazing Chinchilla white
- 3-fold safety bolt locking
- 2 sealings against draft and noise
- 3 heavy 3-D adjustable hinges
- aluminium threshold
- including electric door opener



MAILAND



HERAKLION



ANJA

40*



DANIELA

70*



HELGA

50*



CORINNA

54*



EVA

24*

PREMIUM LINE

Entrance doors made of wood – they simply fit



BIANCA

30*



MARGARITA 80*





SANDRA 5014*



WALBURGA 9010*




KATJA 7035*



KLÖNTÜR 6016*



na **Tür**lich -
MoHo bewegt!



- 3-fold slatted frame and door panel frame, 66 mm strong, for high stability and against warping
- type of wood: fir
- heat insulating double shelled lumber profiled filling
- ISO ornament glazing Chinchilla
- 3-fold safety bolt locking
- 2 sealings against draft and noise
- 3 heavy 3-D adjustable hinges
- aluminium threshold
- also available with final surface treatment according to MoHo colour chart (*see page 14)





HELSINKI



BRÜSSEL



CHIEMSEE



KOPENHAGEN



ESSEN

CLASSIC LINE
Entrance doors
made of wood –
simply convincing



LISSABON



MADRID



DUBLIN



FRANKFURT

- 3-fold slatted frame and door panel frame, 66 mm strong, for high stability and against warping
- type of wood: nordic spruce
- heat insulating double shelled lumber profiled filling
- ISO ornament glazing Chinchilla
- multiple locking with flat bars
- 2 sealings against draft and noise
- 3 heavy three-part hinges
- L-shaped galvanized metal threshold
- once natural stained





K-2000



L-2000



A-2000



H-2000



C-2000

CLASSIC LINE
Entrance doors
made of PVC –
simply convincing



naTürlich -
MOHO bewegt!



M-2000



B-2000



F-2000

- high class multiple chamber PVC profile 60 mm strong with heavy steel inlet
- high class PVC sandwich filling
- ISO-Ornament glazing Chinchilla
- multiple locking with flat bars
- 2 sealings
- 3 two-part PVC-hinges, versatile adjustable
- aluminium threshold





TYP K*



TYP L*



TYP H



TYP B



TYP C

BASIC LINE

Back doors made of wood – they simply fit

*Types K and L are available on stock
size: width = 980 x height = 1.980 mm

- 3-fold slatted frame and door panel frame, 66 mm strong, for high stability and against warping
- type of wood: nordic spruce
- double shelled lumber profiled filling
- ISO ornament glazing 523
- profile cylinder lock 8/72 mm
- double rabbet with circumferential sealing
- 3 heavy three-part hinges
- L-shaped galvanized metal threshold
- once natural stained





TYP F



TYP M



TYP K 100



TYP F 100



BASIC LINE
Back doors made of PVC –
they simply fit

- high class multiple chamber PVC profile 60 mm strong with steel inlet
- profiled hollow section filling
- ISO-Ornament glazing 523
- profile cylinder lock 8/72 mm
- circumferential sealing
- 3 two-part PVC-hinges
- aluminium threshold





na **Tür**lich -
MOHO bewegt!

TECHNICAL FEATURES

Legend	
x	Standard
-	not available
o	additional charge
?	on demand

Line		PRESTIGE		LUXUS		EXCLUSIV		PREMIUM		CLASSIC		BASIC	
		Wood	PVC	Wood	PVC	Wood	PVC	Wood	PVC	Wood	PVC	Wood	PVC
Type of wood	Spruce	-	-	-	-	-	-	-	-	x	-	x	-
	Fir knot free	-	-	-	x	-	-	x	-	o	-	o	-
	Pine knot free	x	x	-	-	-	-	-	-	-	-	-	-
	Meranti knot free	x	x	-	-	o	-	-	-	o	-	-	-
	Oak knot free	x	o	-	-	-	-	-	-	-	-	-	-
Strength of leaf	56 mm	-	-	-	-	-	-	-	-	-	-	x	-
	60 mm	-	-	-	-	-	x	-	-	-	x	-	x
	66 mm	-	x	-	-	x	-	x	-	-	-	-	-
	68 mm	x	-	-	-	-	-	-	-	-	-	-	-
	70 mm	-	-	x	-	-	-	-	-	-	-	-	-
Door panel	double shelled lumber profiled filling	-	-	-	-	-	-	x	x	-	-	x	-
	Sandwich filling	-	x	x	x	x	x	-	-	x	-	-	x
	Door leaf (Haustüren-Ring)	x	-	-	-	-	-	-	-	-	-	-	-
Sealings	simple	-	-	-	-	-	-	-	-	-	-	x	-
	double	x	x	x	x	x	x	x	x	x	x	-	x
Hinges	3 two-part PVC-hinges	-	-	-	-	-	-	-	-	-	x	-	x
	3 three-part hinges	-	-	-	-	-	-	-	-	x	-	x	-
	3 hinges - 3D adjustable	x	x	x	x	x	x	x	o	-	-	-	-
Bolting device	simple	-	-	-	-	-	-	-	-	-	-	x	x
	multiple flat bars	-	-	-	-	-	-	-	-	x	x	o	-
	3-fold safety bolts	-	x	x	x	x	x	x	-	-	-	-	-
	5-fold safety bolts	x	o	o	o	o	o	o	-	-	-	-	-
	ROTO-electronic motor driven	o	o	o	o	o	o	o	-	-	-	-	-
Lock	PC 8/72 mm	-	-	-	-	-	-	-	-	-	-	x	x
	PC 10/92 mm	x	x	x	x	x	x	x	x	x	-	-	-
Threshold	L-shaped metal threshold	-	-	-	x	-	-	-	x	o	x	o	x
	aluminium threshold	x	x	x	o	x	x	x	o	x	o	x	x
Surface	natural stained	-	-	-	-	-	-	x	x	-	-	x	-
	final treatment	x	x	-	x	-	-	o	o	-	-	o	-
	white	-	-	x	-	x	-	-	-	x	-	-	x
	wooden pattern	-	-	o	-	-	-	-	-	?	-	-	-
Glazing	ISO ornament glazing, according to model	-	-	-	x	x	x	x	x	x	x	x	x
	heat insulating glazing, U-value 1,2	x	x	x	?	-	?	?	?	-	-	-	-
Miscellaneous	electric door opener	x	o	x	o	o	o	o	o	o	o	o	-





all around
all doors custom-built

The modular principal is valid for all MoHo models

All around - All doors custom built - only with MoHo

As you can see - with MoHo doors you get custom-built doors. So you can plan freely letting your creativity and taste take their course - this is only possible with MoHo

The time is ripe - with ROTO

All MoHo doors can be equipped with an electromechanical multi locking System.

What is common for cars for a long time, it is a matter-of-factness for doors now. The radio controlled remote control locks and unlocks doors conveniently and securely.

Please ask for our special folder!



Basis



Flat bar locking

Standard



3-fold bolt locking - **Best selling!**

Highlight



5-fold bolt locking - (additionally two more bolts for more security)


MoHo safety locking bolts - better than the police allows

- produced of specially hardened cylindrical steel bolts
- back pressure secured gearing
- alternatively three- or five-fold locking
- recommended security technology by the criminal investigation department
- both safety bolts also available with ROTO-electronic motor driven


na **Tür**lich - MOHO bewegt!

COLOUR, FORM & ACCESSORIES

Standard transparent colours on **SOFTWOOD**




Standard transparent colours on **OAK**



Standard transparent colours on **MERANTI**






Special colours in **RAL**



PVC WOODEN PATTERNS



*na Türlich -
MOHO bewegt!*



- 1 Knob/button set new silver F2 8/72 or 10/92
- 2 Button set new silver F2 10/92
- 3 Button set new silver F2 8/72
- 4 Pull handle set model 35 steel F9 10/92
- 5 Knob/button set white F2 8/72 or 10/92
- 6 Button set white 8/72 or 10/92
- 7 Pull handle set model 35 white 10/92
- 8 Pull handle model 30M brass polished
- 9 Pull handle model 15M brass/chrome
- 10 Pull handle model 30C chromed
- 11 Pull handle model 25B brass bronzed
- 12 Pull handle model 10E stainless steel
- 13 Pull handle model 20E stainless steel
- 14 Set of lever handles with rose, stainless steel
- 15 Set of lever handles with rose, bronzed (also in chrome and brass)



SAPHIR

RAL 5003/7035*



CARNEOL

RAL 9016/5014*




WK-2-tested



PRESTIGE LINE
Main entrance doors
made of wood –
our highlights

Further models available

- door leaf with heavy steel inlet and additional steel reinforcement on the lock side
- type of wood: pine, meranti or oak
- wood 68 mm strong
- insulation with environmentally friendly wood fibre insulation board between solid wood webs
- security glazing: outside VSG-Float (clear), inside ornament glazing according to MoHo colour chart (see page 15)
- 3 high class 3D-hinges
- anti-jemmy device on the hinge-side
- 2 sealings against draft and noise
- 5-fold safety bolt locking (ROTO Door-Safe, MVZ 500)
- End-to-end ROTO locking band
- thermal separated aluminium threshold
- including final surface treatment according to MoHo colour chart (*see page 14)




na **Türlich** -
MOHO bewegt!



Stark durch Verstärkung



(only valid for PRESTIGE LINE)



MORINGER HOLZKONTOR GmbH

Am Hohen Hügel 5
37186 Moringen
Germany

Phone +49(0)55 03/80 87-0

FAX +49(0)55 03/9 11 83

E-Mail mo-ho@mo-ho.de

Internet www.mo-ho.de

Your competent specialist dealer

„Technical alterations which contribute to progress and are made during the validity of this catalog are reserved. Therefore we can't take any responsibility for binding delivery of products as shown and described in this catalog.“